TBK-Patent, Bavariaring 4-6, 80336 München, Tel.: +49 89 544690, Fax: +49 89 532611 (G3) +49 89 5329095 (G3+G4), postoffice@tbk-patent.de

Via e-mail only

TBK-Patent POB 20 19 18 80019 München

HONEYWELL TURBO TECHNOLOGIES

23326 Hawthorne Blvd., Suite 200, 90505-3756 Torrance, CA USA

Attn.: Mr. Chris James

Assistant General Counsel Intellectual Property (IP)

Patentanwälte

Dipl.-Ing. Reinhard Kinne
Dipl.-Ing. Reinhard Kinne
Dipl.-Ing. Hans-Bernd Pellmann
Dipl.-Ing. Klaus Grams
Dipl.-Ing. Alexel Vollnhals
Dipl.-Ing. Thomas J.A. Leson
Dipl.-Ing. Thomas J.A. Leson
Dipl.-Ing. Matthlas Grill
Dipl.-Ing. Alexander Kühn
Dipl.-Ing. Rainer Böckelen
Dipl.-Ing. Rainer Böckelen
Dipl.-Ing. Stefan Klingele
Dipl.-Ing. Ronald Roth
Dipl.-Ing. Jürgen Faller
Dipl.-Ing. Jürgen Faller
Dipl.-Ing. Jürgen Tefert
Dipl.-Ing. Susanne Popp
Rechtsanwälte
Michael Zöbisch

November 8, 2004

Your ref.: 930-99-002 (2) Our ref.: WO 35679

PCT-Application No.: PCT/IB02/03589 Applicant: Honeywell International Inc.

Dear Chris,

L

Enclosed please find herewith the International Preliminary Examination Report issued to the above-identified PCT-application as well as the respective notification of the EPO.

As can be understood from the present report, it would be advisable to enter each of the respective regional/national phases of the present PCT-application on the basis of an amended claim version including at least a minimum of amending features, in order to delimit the claimed subject-matter against the relevant prior art.

With regard to the above, I would like to refer to our respective comments and proposal for new claims 1 to 7 sent to you via e-mail on June 8, 2004 and a subsequent correspondence with Ephraim, in particular his e-mail of

1911 / 12 / 10 2 4 JUN 2003

July 12, 2004 as well as our respective proposal of July 14, 2004, a copy of which is enclosed herewith.

If you would like to consider alternative amending possibilities, please do not hesitate to ask for our further comments.

I am looking forward to receiving your instructions with regard to the above and remain,

With best personal regards,

Dr. G. Chivarov Patentanwalt

TBK-Patent

Enclosures:

- International Preliminary Examination Report and respective Notification by the EPO;
- Copy of our respective proposal of July 14, 2004

JC20 Rec'd PCT/PTO 2 4 JUN 2005

Dr. Georgi Chivarov

Von:

Dr. Georgi Chivarov [chivarovg@tbk-patent.de]

-00

Ges ndet: Mittwoch, 14. Juli 2004 18:54

An:

Starr, Ephraim; Figura, Giorgio; Jeckel, Denis; Dechanet, Eric; Sausse, Lorrain

Cc:

Muhammad Adnan; (TBK); Bakker, Reinier (SZ21); Boucher, Eric (SZ21); Koenraad Van

Himbeeck

Betreff:

AW: PCT-Application No.: PCT/IB02/03589; OurRef.: WO 35679; YourRef.: 930-99-002(2);

and YourRef 930-99-002 = OurRef: WO 35744/EP35745

Dear All,

This is just to focus your attention to the following:

- (1) with regard to the basic application (docket no. 930-99-002), OurRef: WO 35744/EP35745: so far the main difference seems to be that in our step III version the cartridge is coupled to the center housing by means of the insert and not by means of the nozzle ring, i.e. by means of the element ("vane holder 36") carrying the vanes as is the case in the HONDA-application (EP-A2-0270384);
- (2) with regard to the modified version application (docket no. 930-99-002(2)) OurRef: WO35679: The version of an amended claim 1 as proposed by Ephraim would be:
- 1. A turbocharger comprising a center housing (1), a variable nozzle device (11, 23, 25, 27, 29, 31), and an exhaust housing (47) being mechanically and/or thermally decoupled from the variable nozzle device, wherein the variable nozzle device (11, 23, 25, 27, 29, 31) comprises a circumferential arrangement of vanes (27) interposed between a nozzle ring (23) and an outer ring (15) integrally formed with a peripheral ring (13) fitted on said nozzle ring and coupled to said center housing (1).

Such a new main claim can be accompanied for example by the subclaim:

2. A turbocharger according to claim 1, characterized in that the peripheral ring (13) is radially and axially spaced from the exhaust housing, so that any contact between the exhaust housing and the peripheral ring (13) is avoided.

Georgi

-----Ursprüngliche Nachricht-----

Von: Starr, Ephraim [mailto:ephraim.starr@honeywell.com]

Gesendet: Montag, 12. Juli 2004 20:03

An: Figura, Giorgio; Jeckel, Denis; Dechanet, Eric; Sausse, Lorrain

Cc: Muhammad Adnan; Dr. Georgi Chivarov (TBK); (TBK); Bakker, Reinier

(SZ21); Boucher, Eric (SZ21); Koenraad Van Himbeeck

Betreff: RE: PCT-Application No.: PCT/IB02/03589; Our ref.: WO 35679;

Your ref.: 930-99-002(2); Applicant: Honeywell Int'l Inc.

Privileged & Confidential Attorney-Client Communication

Dear Giorgio, Denis, Eric and Lorrain,